according to Regulation (EC) No. 453/2010

Nordson EP 1 Oil

Date Issued : 04/29/2016 SDS No : 900315 Date Revised : 01/07/2020 Revision No : 1

SECTION 1 : Identification of the	he substance/preparation and of the company/undertaking	
1.1. Product identifier		
Product code	: 900315 / 900331 / 900332	
Product name	: Nordson EP 1 Oil	
	the substance or mixture and uses advised against	
Relevant identified uses	: Lubricant	
1.3. Details of the supplier of the	ie safety data sheet	
Manufacturer enviro-blend, Inc. P.O. Box 329 Springfield, TN 37172 Service Number E-Mail	: 615-382-8215 : enviroblend@birch.net	
1.4. Emergency telephone num	ber	
ChemTel (US, Canada Transporta	ation) - 1-800-255-3924 (Contract # MIS1186925)	
SECTION 2: Hazards identifica	tion	
Health	gulation (EC) No 1272/2008 [CLP] : Acute Toxicity (Oral), Category 4 Skin Irritation, Category 2 Eye Irritation, Category 2	
2.2. Label elements		
Hazard pictogram(s)	gulation (EC) No 1272/2008 [CLP] : Exclamation mark	
Signal Word	: WARNING	
Hazard statement(s)	: H319: Causes serious eye irritation. H315: Causes skin irritation. H302: Harmful if swallowed.	
Precautionary statement(s)		
General	: P270: Do not eat, drink or smoke when using this product. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P350: IF ON SKIN: Gently wash with plenty of soap and water. P301+P312: IF SWALLOWED: Call a POISON CENTER/ doctor/if you feel unwell.	

according to Regulation (EC) No. 453/2010

Date Issued : 04/29/2016 SDS No : 900315 Date Revised : 01/07/2020 Revision No : 1

### Nordson EP 1 Oil

	P280: Wear protective gloves/protective clothing/eye protection/face protection. P337+P313: If eye irritation persists: Get medical advice/attention.
2.3. Other hazards	
Immediate concerns	: None Expected.
Health hazards	: Not expected to be a health hazard when used under normal conditions. Prolonged or repeated skin contact without proper cleaning can result in skin irritation or dermatitis.
Physical hazards	: Not Established
SECTION 3: Composition / information on ingredients	

#### 3.1. Substances

Not Applicable

#### 3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt.%	Classification according to Regulation (EC) No 1272/2008 [CLP]
Poly[oxy(methyl-1,2-ethandiyl)], Alpha-butyl- omega-hydroxy-	9003-13-8	500-003-1	> 97	Acute Tox. (O),Cat. 4; Skin Irr.,Cat. 2; Eye Irr.,Cat. 2; H302; H315; H319
N-phenyl-1-naphthylene	90-30-2	Not Applicable	< 1	H302; H317; H373; H410

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures	
4.1. Description of first aid meas	sures
General notes	: Show this Safety Data Sheet to the medical professional in attendance
Following eyes	: Immediately flush with plenty of water for at least 15 minutes; ensure water flushing of entire surface of eye and lid. Obtain medical attention if irritation persists.
Following skin	: Wash with soap and water. Get medical attention if irritation develops or persists.
Following ingestion	: Rinse mouth with water, consult a physician. Never give anything by mouth to an unconscious person.
Following inhalation	: Move person to fresh air. If not breathing, give artificial respiration and consult a physician.
4.2. Most important symptoms a	nd effects, both acute and delayed
Eyes	: Can cause moderate to severe irritation.
Skin	: Repeated or prolonged skin contact may cause skin irritation.
Skin absorption	: No data available.
Ingestion	: Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Inhalation	: May cause dizziness.
4.3. Indication of any immediate	medical attention and special treatment needed

according to Regulation (EC) No. 453/2010

Date Issued : 04/29/2016 SDS No : 900315 Date Revised : 01/07/2020 Revision No : 1

#### **SECTION 5: Fire fighting measures** 5.1. Extinguishing media 5.2. Special hazards arising from the substance or mixture General hazard : Not Established Hazardous combustion products : Oxides of carbon and aldehydes Explosion hazards : NA = Not Applicable Fire explosion : NA = Not Applicable Sensitive to static discharge : None Sensitivity to impact : None 5.3. Advice for firefighters Fire fighting procedures : Treat in accordance with procedures proper for the primary cause of fire. Fire fighting equipment : Wear approved self-contained breathing apparatus. Additional information : Clear fire area of all non-ememgency personnel. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures **General procedures** : Wear suitable gloves and safety or splash goggles. Remove contaminated clothing and wash before reuse, wash any affected skin areas with soap and water. Special protective equipment : See section 8.2 6.2. Environmental precautions : Keep spills and cleaning run-off out of municipal sewers and open bodies of Water spill water. 6.3. Methods and material for containment and cleaning up Small spill : Do not flush with water. Soak up with inert absorbent material, sweep up and shovel into suitable containers for disposal. Large spill : Stop leak. Dike to contain spill, cover with inert absorbent material, sweep up and place in suitable container(s) for disposal. 6.4. Reference to other sections Reference to other sections : For disposal, see Section 13. **SECTION 7: Handling and storage** 7.1. Precautions for safe handling **General procedures** : Provide proper exhaust ventilation system in areas where fumes may form. Take normal fire prevention measures. Handling : Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Storage : Keep container tightly closed in a dry and well-ventilated area. 7.2. Conditions for safe storage, including any incompatibilities

Electrostatic accumulation hazard : None Expected.

### Nordson EP 1 Oil

according to Regulation (EC) No. 453/2010

Date Issued : 04/29/2016 SDS No : 900315 Date Revised : 01/07/2020 Revision No : 1

	Nordson EP 1 Oil
Shelf life	: 7 years
Special sensitivity	: None known.
7.3. Specific end use(s)	
Specific end use(s)	: Lubricant
SECTION 8: Exposure controls /	personal protection
8.1. Control parameters	
3.2. Exposure controls	
Engineering controls	: Local exhaust is recommended when handling generated mists and vapors.
Eye/face protection	: Wear safety glasses or splash googles.
Skin protection	: Wear protective clothing, including long sleeves and impervious gloves, to prevent skin contact.
Respiratory protection	: None required for normal operation. Use an approved respirator when exposure to vapors of mists is anticipated.
Protective clothing	: Impervious clothing. The type of protective clothing must be selected according to the concentration and amount of the product handled at the specific workplace.
Work hygienic practices	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.
SECTION 9: Physical and chemic	cal properties
9.1. Information on basic physica	al and chemical properties
Physical state	: Liquid
Appearance	: Clear colorless to pale yellow.
Colour	: Clear to slight yellow.
Odour	: Bland.
рН	: No data available.
Freezing temperature	: No data available.
Boiling temperature	: ~ 20°C (392°F)
Flash point	: ~ 235°C (455°F) Cleveland Open Cup
Flammable limits	: No Data to No Data
Vapor pressure	: < 0.013 kPa at 20°C (68°F)
Vapor density	: ~ 10 air = 1.0
Density	: 0.995 - 1.001
Specific gravity	: 0.995 to 1.001 at 20°C (68°F)
Solubility in water	: Virtually insoluble
Auto-ignition temperature	: No data available.

according to Regulation (EC) No. 453/2010

Date Issued : 04/29/2016 SDS No : 900315 Date Revised : 01/07/2020 Revision No : 1

	Nordson EP 1 Oil		Revision No: 1
Viscosity #1	: 150 cSt at 40°C (104°F)		
Pour point	: ~ -24°C		
Weight per volume	: 8.35 lb/gal.		
9.2. Other information	- 0.00 lb/gal.		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
Reactivity	: None known.		
10.2. Chemical stability			
Chemical stability	: Stable under normal use conditions,		
10.3. Possibility of hazardous reaction	15		
Possibility of hazardous reactions	: None Expected.		
Hazardous polymerization	: None		
10.4. Conditions to avoid			
Conditions to avoid	: Excessive heat, sparks and open flames.		
10.5. Incompatible materials			
Incompatible materials	: Oxidizers.		
10.6. Hazardous decomposition produ	icts		
Hazardous decomposition products	: None under normal use conditions, oxides of car	bon when burne	ed.
SECTION 11: Toxicological information	on		
11.1. Information on toxicological effe	cts		
Acute			
Chemical Name		Oral LD <sub>50</sub>	Dermal LD <sub>50</sub>
Poly[oxy(methyl-1,2-ethandiyl)], Alpha-bu	utyl-omega-hydroxy-	300 to 200 mg/kg - rat	5 5
Dermal LD <sub>50</sub>	: ~ 1800 mg/kg rabbit		
Oral LD <sub>50</sub>	: ~ 48700 mg/kg (rat)		
Inhalation LC <sub>50</sub>	: No data available.		
Skin corrosion/irritation	: Skin Irritant.		
Serious eye damage/irritation	: No data available.		
Respiratory or skin sensitisation	: No data available.		
Germ cell mutagenicity	: Negative.		
Carcinogenicity			
Chemical Name			IARC Status
Poly[oxy(methyl-1,2-ethandiyl)], Alpha-bu	utyl-omega-hydroxy-		Not a carcinogen

: No component of this product present at levels greater than or equal to 0.1% is identified

according to Regulation (EC) No. 453/2010

Date Issued : 04/29/2016 SDS No : 900315 Date Revised : 01/07/2020 Revision No : 1

	Nordson EP 1 Oil
s a carcinogen or potential carcinogen by	IARC, ACGIA, NTP or OSHA.
Reproductive toxicity	: Not toxic for reproduction.
SECTION 12: Ecological information	
2.1. Toxicity	
Aquatic toxicity (acute)	
96-hour LC <sub>50</sub>	: ~ 104 mg/l zebra fish
2.2. Persistence and degradability	
Persistence and degradability	: No data available.
2.3. Bioaccumulative potential	
Bioaccumulative potential	: No data available.
12.4. Mobility in soil	
Mobility in soil	: No data available.
2.5. Results of PBT and vPvB assessm	nent
Results of PBT and vPvB assessment	: PBT/vPvB assessment not available as chemical safety assessment not required / not conducted.
2.6. Other adverse effects	
Environmental data	: None known.
SECTION 13: Disposal considerations	
3.1. Waste treatment methods	
Product disposal	: Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.
Disposal method	: Recover or recycle is possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses.
Empty container	: offer to licensed container recycler.
SECTION 14: Transport information	
14.1. UN number	
14.2. UN proper shipping name	
UN proper shipping name	: Not a dangerous good
14.3. Transport hazard class(es)	
14.4. Packing group	
14.5. Environmental hazards	
14.6. Special precautions for user	
ADR - road	: None

according to Regulation (EC) No. 453/2010

Nordson EP 1 Oil

Date Issued : 04/29/2016 SDS No : 900315 Date Revised : 01/07/2020 Revision No : 1

RID - rail	: None
IMDG - sea	: None
IATA - air	: None
14.7. Transport in bulk according to Ar	nnex II of MARPOL73/78 and the IBC Code
SECTION 15: Regulatory information	
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture
RoHS	: None
General comments	: None
15.2. Chemical safety assessment	
SECTION 16: Other information	
Relevant H-statements (number and full text)	<ul> <li>Acute Tox. (O), Cat. 4: Acute Toxicity (Oral), Category 4</li> <li>Eye Irr., Cat. 2: Eye Irritation, Category 2</li> <li>Skin Irr., Cat. 2: Skin Irritation, Category 2</li> <li>H302: Harmful if swallowed.</li> <li>H315: Causes skin irritation.</li> <li>H317: May cause an allergic skin reaction.</li> <li>H319: Causes serious eye irritation.</li> <li>H373: May cause damage to organs ( state all organs affected, if known)</li> <li>through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).</li> <li>H410: Very toxic to aquatic life with long lasting effects.</li> </ul>
Reason for issue	: GHS Format
Revision summary	: This SDS replaces the 04/29/2016 SDS. Revised: Section 2: .
Data sources	: The SDS is compiled using supplied product information and SDS information from the manufacturers of the raw materials used in the formulation of this product.

Compliance with all applicable federal, state, and local laws and regulations remains the responsibility of the user.

Manufacturer disclaimer As the conditions or methods of use are beyond our control, Enviro-blend, Inc. does not assume any responsibility and expressly disclaims any liability for any use of this material. Information contained herein has been obtained from the manufacturer and / or recognized technical sources. The information is believed to be true and accurate, but all statements or suggestions are made without warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.