

SAFETY DATA SHEET

Date Issued : 07/28/2015
SDS No : 1120290
Date Revised : 07/01/2020
Revision No : 3

Nordson High Temp Lube

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Nordson High Temp Lube

MANUFACTURER

enviro-blend, Inc.
P.O. Box 329
Springfield, TN 37172
Customer Service: 615-382-8215
E-Mail: enviroblend@birch.net

24 HR. EMERGENCY TELEPHONE NUMBERS

ChemTel (US, Canada Transportation) - 1-800-255-3924 (Contract # MIS1186925)

2. HAZARDS IDENTIFICATION

GHS LABEL

Non Hazardous

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: No data available.

POTENTIAL HEALTH EFFECTS

EYES: Contact may cause eye irritation.

SKIN: None Expected.

SKIN ABSORPTION: None Expected.

INGESTION: No data available.

INHALATION: No data available.

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: No data available.

TERATOGENIC EFFECTS: No data available.

CARCINOGENICITY: Not a carcinogen.

MUTAGENICITY: None

CANCER STATEMENT: Not a carcinogen.

SENSITIZATION: Not a sensitizer.

WARNING CAUTION LABELS: None

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS	Wt.%
Polydimethylsiloxane	63148-62-9	100

WHMIS CLASS: None

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Give several small portions of water to drink. Do not induce vomiting.

INHALATION: Move person to fresh air. If not breathing, give artificial respiration and consult a physician.

SAFETY DATA SHEET

Date Issued : 07/28/2015
SDS No : 1120290
Date Revised : 07/01/2020
Revision No : 3

Nordson High Temp Lube

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: May cause slight eye irritation.
SKIN: No acute toxic effects are expected.
SKIN ABSORPTION: None Expected.
INGESTION: Not expected in industrial use.
INHALATION: Not expected due to low vapor pressure.
CHRONIC EFFECTS: None known.

ADDITIONAL INFORMATION: Show this Safety Data Sheet to the medical professional in attendance..

5. FIRE FIGHTING MEASURES

GENERAL HAZARD: NA = Not Applicable
EXTINGUISHING MEDIA: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.
HAZARDOUS COMBUSTION PRODUCTS: Hazardous decomposition products include carbon dioxide, carbon monoxide, formaldehyde, silicon dioxide and incompletely burned hydrocarbons.
EXPLOSION HAZARDS: None
FIRE FIGHTING PROCEDURES: Use water spray to cool fire-exposed containers.
FIRE FIGHTING EQUIPMENT: Wear approved self-contained breathing apparatus.
FIRE EXPLOSION: None
SENSITIVE TO STATIC DISCHARGE: None known.
SENSITIVITY TO IMPACT: None

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Dike to contain spill. Sweep up with inert material and place in suitable container for disposal.
LARGE SPILL: Stop leak. Dike to contain spill, cover with inert absorbent material, sweep up and place in suitable container(s) for disposal.
ENVIRONMENTAL PRECAUTIONS
WATER SPILL: Keep spills and cleaning run-off out of municipal sewers and open bodies of water.
GENERAL PROCEDURES: Spilled product is extremely slippery. Do not walk through spilled material.
RELEASE NOTES: Keep out of open bodies of water.
SPECIAL PROTECTIVE EQUIPMENT: See section 8.2

7. HANDLING AND STORAGE

GENERAL PROCEDURES: No special protective measures are required.
HANDLING: Spilled product increases risk of slipping. Liquid silicone based materials have lubricating properties that can substantially reduce or eliminate traction and may pose a slip hazard.
STORAGE: Keep container tightly closed in a dry and well-ventilated area.
STORAGE TEMPERATURE: 5.0°C Minimum to 50.0°C Maximum
SHELF LIFE: 48 months from date of purchase.
SPECIAL SENSITIVITY: No data available.

SAFETY DATA SHEET

Date Issued : 07/28/2015
SDS No : 1120290
Date Revised : 07/01/2020
Revision No : 3

Nordson High Temp Lube

ELECTROSTATIC ACCUMULATION HAZARD: No data available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust is recommended when handling generated mists and vapors.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE:

Wear safety glasses or splash goggles.

SKIN: Wear impervious gloves.

RESPIRATORY: None required for normal operation. Use an approved respirator when exposure to vapors of mists is anticipated.

WORK HYGIENIC PRACTICES: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

OTHER USE PRECAUTIONS: There should be an eye wash close by.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Mild, not unpleasant.

APPEARANCE: Clear

COLOR: Colorless

pH: 7.0 approximate

FLASH POINT AND METHOD: > 260°C (500°F) ISO 2719

AUTOIGNITION TEMPERATURE: NA = Not Applicable

VAPOR PRESSURE: No data available.

VAPOR DENSITY: No data available.

BOILING POINT: Not yet Determined

FREEZING POINT: -35°C to -50°C

THERMAL DECOMPOSITION: > 250°C

SOLUBILITY IN WATER: Virtually insoluble

SPECIFIC GRAVITY: 0.97

VISCOSITY #1: 324 to 356 mPa.s at 25°C Dynamic (DIN 53019)

VISCOSITY #2: ~ 350 mm²/s at 25°C Kinematic (DIN 53019)

WEIGHT PER VOLUME: 8.15 lb/gal.

10. STABILITY AND REACTIVITY

REACTIVITY: None Expected.

HAZARDOUS POLYMERIZATION: None

STABILITY: Stable under normal use conditions,

CONDITIONS TO AVOID: None known.

POSSIBILITY OF HAZARDOUS REACTIONS: If stored and handled properly: none known.

SAFETY DATA SHEET

Date Issued : 07/28/2015
SDS No : 1120290
Date Revised : 07/01/2020
Revision No : 3

Nordson High Temp Lube

HAZARDOUS DECOMPOSITION PRODUCTS: If stored and handled properly: none known. Measurements have shown the formation of small amounts of formaldehyde at temperatures above 150° C through oxidation.

INCOMPATIBLE MATERIALS: None known.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

DERMAL LD₅₀: > 2008 mg/kg (rat)

Notes: Not a primary irritant.

ORAL LD₅₀: > 5000 mg/kg (rat)

Notes: Based on the available data acute toxic effects are not expected after a single oral exposure.

INHALATION LC₅₀: No data available.

SKIN CORROSION/IRRITATION: None Expected.

SERIOUS EYE DAMAGE/IRRITATION: Not a primary irritant.

RESPIRATORY OR SKIN SENSITISATION: Not a sensitizer (guinea pig)

GERM CELL MUTAGENICITY: Negative.

CARCINOGENICITY

IARC: Not a carcinogen.

NTP: Not a carcinogen.

OSHA: Not a carcinogen.

NOTES: No data available.

REPRODUCTIVE TOXICITY: No data available.

STOT-SINGLE EXPOSURE: No data available.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: None known.

BIOACCUMULATION/ACCUMULATION: None Expected.

DISTRIBUTION: Polymer component: Insoluble in water. Forms thin oil film on surface of water. Absorbed by floating particles. Separation by sedimentation.

AQUATIC TOXICITY (ACUTE)

48-HOUR EC₅₀: > 0.0001 mg/L (daphnia magn) effect level . maximum achievable concentration.

Notes: No expected damaging effects to aquatic organisms. Current knowledge indicates no adverse effects on water purification plants.

CHEMICAL FATE INFORMATION: Silicone content: biologically is not degradable. Elimination by adsorption to activated sludge. Polydimethylsiloxanes are degradable to a certain extent in abiotic processes.

13. DISPOSAL CONSIDERATIONS

FOR LARGE SPILLS: Stop Leak. Dike to contain spill, cover with inert absorbant material, sweep up and place in suitable container for proper disposal.

PRODUCT DISPOSAL: Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.

EMPTY CONTAINER:

SAFETY DATA SHEET

Date Issued : 07/28/2015
SDS No : 1120290
Date Revised : 07/01/2020
Revision No : 3

Nordson High Temp Lube

offer to licensed container recycler.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not regulated.

CANADA TRANSPORT OF DANGEROUS GOODS

SHIPPING NAME: Not regulated.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: No SARA 311 / 312 Hazards.

FIRE: No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No

313 REPORTABLE INGREDIENTS: This material does not contain any SARA 313 chemicals above the de minimus levels.

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: NA = Not Applicable

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: This material does not contain any CERCLA regulated chemicals.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: This material does not contain any TSCA 12(b) regulated chemicals.

TSCA STATUS: In Compliance.

CLEAN AIR ACT

40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION: NA = Not Applicable

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)

29 CFR 1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS: NA = Not Applicable

CALIFORNIA PROPOSITION 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

RCRA STATUS: NA = Not Applicable

OSHA HAZARD COMM. RULE: NA = Not Applicable

CLEAN WATER ACT: NA = Not Applicable

CARCINOGEN: Not a carcinogen.

CANADA

WHMIS CLASS: None

DOMESTIC SUBSTANCE LIST (INVENTORY): This product is listed or exempt from listing on the DSL inventory of Canada.

16. OTHER INFORMATION

SAFETY DATA SHEET

Date Issued : 07/28/2015
 SDS No : 1120290
 Date Revised : 07/01/2020
 Revision No : 3

Nordson High Temp Lube


REASON FOR ISSUE: GHS Format

REVISION SUMMARY: This SDS replaces the 01/05/2016 SDS.

HMIS RATING

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

NFPA CODES



ADDITIONAL SDS INFORMATION: The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and / or websites. Not all acronyms and abbreviations listed below have been incorporated in the Safety Data Sheet Legend:

ACGIH: American Conference of Governmental Industrial Hygienists

AICS: Australian Inventory of Chemical Substances

ADN: European Agreement concerning the international carriage of dangerous goods by inland waterways (ADN)

ADNR: ADN Specific for the Rhine

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ASTM: American Society for Testing and Materials

BEL: Biological Exposure Limits

BTEX: Benzene, Toluene, Ethylbenzene, Xylenes

CAS: Chemical Abstracts Services

CEFIC: European Chemical Industry Council

CLP: Classification Packaging and Labelling.

COC: Cleveland Open-Cup

DIN: Deutsched Institute fur Normung

DMEL: Derived Minimal effect Level

DNEL: Derived No Effect Level

DSL: Canada Domestic Substance List

EC: European Commission

EC50): Effective Concentration Fifty

ECETOC: European Center on Ecotoxicology and Toxicology of Chemicals

ECHA: European Chemicals Agency

EINECS: The European Inventory of Existing Commercial Chemical Substances

EL50): Effective Loading Fifty

ENCS: Japanese Existing and New Chemical Substances Inventory

EWC: European Waste Code

GHS: Globally Harmonised system of Classification and Labelling of Chemicals

DMSO: Dimethyl Sulfoxide

EU: European Union

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IC50: Inhibitory Concentration 50

IL50: Inhibitory Level Fifty

IMDG: International Maritime Dangerous Goods

INV: Chinese Chemicals Inventory

SAFETY DATA SHEET

Date Issued : 07/28/2015
SDS No : 1120290
Date Revised : 07/01/2020
Revision No : 3

Nordson High Temp Lube

IP346: Institute of Petroleum Test Method N0 346 for the determination of polycyclic aromatics
DMSO-extractables
KECI: Korea Existing Chemicals Inventory
LC50: Lethal Concentration Fifty
LD50: Lethal Dose Fifty
LL/EL/IL: Lethal Loading/Effective Loading/ Inhibitory Loading
LL50: Lethal Loading 50
MARPOL: International Convention for the Prevention of Pollution from Ships
NIOSH: National Institute of Occupational Safety and Health
NOEC/NOEL: No observed Effect Concentration / No observed Effect Level
NOHSC: National Occupational Health and Safety Commission
OE_HP: Occupational Exposure - High Production Volume
PBT: Persistent, Bioaccumulative and Toxic
PICCS: Philippine Inventory of Chemicals and Chemical Substances
PNEC: Predicted No Effect Concentration
REACH: Registration Evaluation and Authorization of Chemicals
RID: Regulations Relating to International Carriage of Dangerous Goods by Rail
SKIN_DES: Skin Designation
STEL: Short Term Exposure Limit
TRA: Targeted Risk Assessment
TREGS: Technical Rules for Hazardous Substances
TSCA: US Toxic Substances Control Act
TWA: Time-Weighted Average
vPvB: Very Persistent and Very Bioaccumulative
NTP: United Nations Toxicology Program.
OSHA: Occupational Safety and Health Act.
HMIS: Hazardous Materials Identification System.
NFPA: National Fire Protection Association.

MANUFACTURER DISCLAIMER:

As the conditions or methods of use are beyond our control, Enviro-blend, Inc. does not assume any responsibility and expressly disclaims any liability for any use of this material. Information contained herein has been obtained from the manufacturer and / or recognized technical sources. The information is believed to be true and accurate, but all statements or suggestions are made without warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and regulations remains the responsibility of the user.