

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Date Issued : 02/13/2015
 SDS No : 900255 / 900256
 Date Revised : 07/01/2020
 Revision No : 4

Nordson Type K Fluid

SECTION 1 : Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Product code : 900255 / 900256
 Product name : Nordson Type K Fluid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Lubricant

1.3. Details of the supplier of the safety data sheet

Manufacturer

enviro-blend, Inc.
 P.O. Box 329
 Springfield, TN 37172

Service Number : 615-382-8215
 E-Mail : enviroblend@birch.net

1.4. Emergency telephone number

ChemTel (US, Canada Transportation) - 1-800-255-3924 (Contract # MIS1186925)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]
 : Not classified as dangerous under EC criteria.

2.2. Label elements

Not classified as dangerous according to regulatory guidelines.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Precautionary statement(s)

Disposal : P273: Avoid release to the environment.
 P391: Collect spillage.
 P501: Dispose of contents/container to qualified waste disposal facility.

2.3. Other hazards

Immediate concerns : No data available.
 Health hazards : No data available.
 Physical hazards : No data available.

SECTION 3: Composition / information on ingredients

3.1. Substances

Chemical Name	CAS	EINECS No.	Wt.%
Epoxidized Soybean Oil	8013-07-8	232-391-0	100

3.2. Mixtures

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Date Issued : 02/13/2015
 SDS No : 900255 / 900256
 Date Revised : 07/01/2020
 Revision No : 4

Nordson Type K Fluid

Not Applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

- General notes** : Show this Safety Data Sheet to the medical professional in attendance..
- Following eyes** : Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.
- Following skin** : Wash with soap and water. Get medical attention if irritation develops or persists.
- Following ingestion** : Rinse mouth with water, consult a physician. Never give anything by mouth to an unconscious person.
- Following inhalation** : Move person to fresh air. If not breathing, give artificial respiration and consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : May cause slight eye irritation.
- Skin** : Repeated or prolonged skin contact may cause skin irritation.
- Skin absorption** : None Expected.
- Ingestion** : May cause nausea.
- Inhalation** : May cause dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Fire fighting measures

5.1. Extinguishing media

- Extinguishing media** : Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : None known.
- Explosion hazards** : None known.
- Fire explosion** : None Expected.
- Sensitive to static discharge** : None
- Sensitivity to impact** : None

5.3. Advice for firefighters

- Fire fighting procedures** : Use water spray to cool fire-exposed containers.
- Fire fighting equipment** : Wear approved self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General procedures** : Wear suitable gloves and safety or splash goggles. Remove contaminated clothing and wash before reuse, wash any affected skin areas with soap and water.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Date Issued : 02/13/2015
 SDS No : 900255 / 900256
 Date Revised : 07/01/2020
 Revision No : 4

Nordson Type K Fluid

Special protective equipment : See section 8.2

6.2. Environmental precautions

Water spill : Keep spills and cleaning run-off out of municipal sewers and open bodies of water.

6.3. Methods and material for containment and cleaning up

Small spill : Dike to contain spill. Sweep up with inert material and place in suitable container for disposal.

Large spill : Stop leak. Dike to contain spill, cover with inert absorbent material, sweep up and place in suitable container(s) for disposal.

6.4. Reference to other sections

Reference to other sections : For disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling : Follow all MSDS/label precautions even after container is emptied because it may retain product residues.

Storage : Keep container tightly closed in a dry and well-ventilated area.

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : If possible, store in a "warm" room. Product is viscous at less than normal ambient temperatures.

Electrostatic accumulation hazard : None known.

Shelf life : 24 months from date of manufacture.

Special sensitivity : None known.

7.3. Specific end use(s)

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters : Contains no substances with occupational exposure limit values.

8.2. Exposure controls

Engineering controls : Local exhaust is recommended when handling generated mists and vapors.

Eye/face protection :
Wear safety glasses or splash goggles.

Skin protection : Wear impervious gloves.

Respiratory protection : None required for normal operation. Use an approved respirator when exposure to vapors of mists is anticipated.

Protective clothing : Impervious clothing. The type of protective clothing must be selected according to the concentration and amount of the product handled at the specific workplace.

Work hygienic practices : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Date Issued : 02/13/2015
 SDS No : 900255 / 900256
 Date Revised : 07/01/2020
 Revision No : 4

Nordson Type K Fluid

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Viscous liquid.
Appearance	: Clear to slightly hazy.
Colour	: Light yellow.
Odour	: Bland.
Odour threshold	: No data available.
pH	: NA = Not Applicable
Melting temperature	: No data available.
Freezing temperature	: No data available.
Boiling temperature	: 399°C
Flash point	: 310°C
Evaporation rate	: No data available.
Flammable limits	: 0 to 0
Vapor pressure	: 0.01 mm @ 20°C.
Vapor density	: 25 (air = 1)
Specific gravity	: 0.993
Solubility in water	: Slight.
Auto-ignition temperature	: No data available.
Thermal decomposition	: No data available.
Viscosity	: No data available.
Weight per volume	: 8.18 lb/gal.
Explosive properties	: No data available.
Oxidising properties	: No data available.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : No data available.

10.2. Chemical stability

Chemical stability : Stable under normal use conditions,

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : None known.

Hazardous polymerization : Will not occur under normal use conditions.

10.4. Conditions to avoid

Conditions to avoid : Excess heat.

10.5. Incompatible materials

Incompatible materials : Strong oxidizing agents, strong acids or bases.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Date Issued : 02/13/2015
 SDS No : 900255 / 900256
 Date Revised : 07/01/2020
 Revision No : 4

Nordson Type K Fluid

10.6. Hazardous decomposition products

Hazardous decomposition products : None under normal use conditions, oxides of carbon when burned.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

Dermal LD₅₀ : > 20 g/kg (rabbit)

Oral LD₅₀ : 22.5 g/kg (rat)

Inhalation LC₅₀ : Inhalation of concentrated vapors for 8 hours produced no deaths. (rats)

Notes : Product has very low oral, dermal, and inhalation toxicity. Epoxidized soybean oil is mildly irritating to the eyes and skin and is non-sensitizing to the skin.

Skin corrosion/irritation : Mildly irritating to eyes and skin (rabbit)

Serious eye damage/irritation : Mildly irritating to eyes and skin (rabbit)

Respiratory or skin sensitisation : Not a sensitizer (guinea pig)

Germ cell mutagenicity : Mouse lymphocyte - negative.

Carcinogenicity : None

Reproductive toxicity : NA = Not Applicable

STOT-repeated exposure : No data available.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity : None Expected.

Aquatic toxicity (acute) : Toxicity to fish: :LC50 - Leuciscus idus (Golden orfe) - 900 mg/l - 48 h.

Toxicity to aquatic invertebrates :EC50 - Daphnia magna (water flea) - > 100 mg/l - 24 h.

Toxicity to algae :EC50 - Desmodesmus subspicatus (green algae) - 8mg/l - 72 h.

12.2. Persistence and degradability

Persistence and degradability : Readily biodegradable. Biodegradability aerobic - Exposure time 28 days. Result 92%

12.3. Bioaccumulative potential

Bioaccumulative potential : No data available.

12.4. Mobility in soil

Mobility in soil : No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : PBT/vPvB assessment not available as chemical safety assessment not required / not conducted.

12.6. Other adverse effects

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Date Issued : 02/13/2015
 SDS No : 900255 / 900256
 Date Revised : 07/01/2020
 Revision No : 4

Nordson Type K Fluid

Environmental data : None Expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal : Offer surplus and non-recyclable solutions to a licensed disposal company.

Empty container :
offer to licensed container recycler.

General comments : Material should be disposed of in accordance to current local and national regulations. It is the responsibility of the user to determine at time of disposal whether a product or solution meets regulatory criteria for hazardous waste, as mixing, use, contamination or soils may render the resultant mixture hazardous.

SECTION 14: Transport information

14.1. UN number

14.2. UN proper shipping name

UN proper shipping name : Non-controlled

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

ADR - road : None

RID - rail : None

IMDG - sea : None

IATA - air : None

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Additional information : None known.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

SECTION 16: Other information

Reason for issue : GHS Format

Approved by : Brad Van Vleet

Prepared by : JBV

Information contact : 615-382-8215 / enviroblend@birch.net

Revision summary : This SDS replaces the 01/05/2016 SDS. Revised: **Section 12:** ECOTOXICOLOGICAL INFORMATION, ENVIRONMENTAL DATA. **Section 14:** AIR (ICAO/IATA) - PRIMARY HAZARD CLASS/DIVISION COMMENTS, DOT (DEPARTMENT OF TRANSPORTATION) - PROPER SHIPPING NAME ROAD AND RAIL (ADR/RID) (UN NUMBER, PACKING GROUP), VESSEL

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Date Issued : 02/13/2015
 SDS No : 900255 / 900256
 Date Revised : 07/01/2020
 Revision No : 4

Nordson Type K Fluid

(IMO/IMDG) (MARINE POLLUTANT #1, PRIMARY HAZARD CLASS/DIVISION, PACKING GROUP, UN/NA NUMBER).

Additional SDS information

: The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and / or websites. Not all acronyms and abbreviations listed below have been incorporated in the Safety Data Sheet

Legend:

ACGIH: American Conference of Governmental Industrial Hygenists

AICS: Australian Inventory of Chemical Substances

ADN: European Agreement concerning the international carriage of dangerous goods by inland waterways (ADN)

ADNR: ADN Specific for the Rhine

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ASTM: American Society for Testing and Materials

BEL: Biological Exposure Limits

BTEX: Benzene, Toluene, Ethylbenzene, Xylenes

CAS: Chemical Abstracts Services

CEFIC: European Chemical Industry Council

CLP: Classification Packaging and Labelling.

COC: Cleveland Open-Cup

DIN: Deutsched Institute fur Normung

DMEL: Derived Minimal effect Level

DNEL: Derived No Effect Level

DSL: Canada Domestic Substance List

EC: European Commission

EC50): Effective Concentration Fifty

ECETOC: European Center on Ecotoxicology and Toxicology of Chemicals

ECHA: European Chemicals Agency

EINECS: The European Inventory of Existing Commercial Chemical Substances

EL50): Effective Loading Fifty

ENCS: Japanese Existing and New Chemical Substances Inventory

EWC: European Waste Code

GHS: Globally Harmonised system of Classification and Labelling of Chemicals

DMSO: Dimethyl Sulfoxide

EU: European Union

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IC50: Inhibitory Concentration 50

IL50: Inhibitory Level Fifty

IMDG: International Maritime Dangerous Goods

INV: Chinese Chemicals Inventory

IP346: Institute of Petroleum Test Method N0 346 for the determination of polycyclic aromatics DMSO-extractables

KECI: Korea Existing Chemicals Inventory

LC50: Lethal Concentration Fifty

LD50: Lethal Dose Fifty

LL/EL/IL: Lethal Loading/Effective Loading/ Inhibitory Loading

LL50: Lethal Loading 50

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Date Issued : 02/13/2015
 SDS No : 900255 / 900256
 Date Revised : 07/01/2020
 Revision No : 4

Nordson Type K Fluid

MARPOL: International Convention for the Prevention of Pollution from Ships
 NIOSH: National Institute of Occupational Safety and Health
 NOEC/NOEL: No observed Effect Concentration / No observed Effect Level
 NOHSC: National Occupational Health and Safety Commission
 OE_HP: Occupational Exposure - High Production Volume
 PBT: Persistent, Bioaccumulative and Toxic
 PICCS: Philippine Inventory of Chemicals and Chemical Substances
 PNEC: Predicted No Effect Concentration
 REACH: Registration Evaluation and Authorization of Chemicals
 RID: Regulations Relating to International Carriage of Dangerous Goods by Rail
 SKIN_DES: Skin Designation
 STEL: Short Term Exposure Limit
 TRA: Targeted Risk Assessment
 TREGS: Technical Rules for Hazardous Substances
 TSCA: US Toxic Substances Control Act
 TWA: Time-Weighted Average
 vPvB: Very Persistent and Very Bioaccumulative
 NTP: United Nations Toxicology Program.
 OSHA: Occupational Safety and Health Act.
 HMIS: Hazardous Materials Identification System.
 NFPA: National Fire Protection Association.

Manufacturer disclaimer

: As the conditions or methods of use are beyond our control, Enviro-blend, Inc. does not assume any responsibility and expressly disclaims any liability for any use of this material. Information contained herein has been obtained from the manufacturer and / or recognized technical sources. The information is believed to be true and accurate, but all statements or suggestions are made without warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and regulations remains the responsibility of the user.